

## ***Declaration of Compliance***

*for plastic materials and items, which are designated to get in touch with food products*

Bonn, March 22<sup>nd</sup>, 2021

### **1 Issuer of the Declaration of Compliance**

Kautex Textron GmbH & Co.KG  
Alter Heerweg 2a  
D-53123 Bonn

### **2 Manufacturer resp. responsible vendor of the plastic materials and items**

Bottles and canisters as well as combinations of bottles or canisters and closures:

- Kautex Textron GmbH & Co.KG; Alter Heerweg 2a; D-53123 Bonn

### **3 Confirmation of the Compliance**

The plastic materials and items described in chapter 4 fulfill the requirements of

- Regulation (EC) No. 1935/2004 including Regulation (EC) No. 2023/2006 on Good Manufacturing practice for materials and articles intended to come into contact with food
- (EU)Regulation N° 450/2009 on active and intelligent materials and items intended to come into contact with food
- (EU)Regulation N° 282/2008 on recycled plastic materials and items intended to come into contact with foods
- Regulation (EU) No. 10/2011 and its amendments including Commission Regulation (EU) 2019/1338 of 8 August 2019 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food. The stated requirements are met under the circumstances described in chapter 4.
- French regulation in force concerning materials and articles intended to come in contact with food, that is to say sanction decree No 2007-766 of 10th may 2007, amended by the decree No 2008-1469 of 30th December 2008
- Regulation (EU) 1895/2005 of 18/11/05 concerning the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs
- French decree 2012/1442 of 24th December 2012 banning Bisphenol A

## ***Declaration of Compliance***

***for plastic materials and items, which are designated to get in touch with food products***

- French decree of 09/11/94 and its amendments regarding materials and rubber articles in contact with food: if the article contains or is made with a rubber accessory (eg cap with a seal)

The user shall verify himself that the product is suitable for the intended food to be packed beyond the stipulations of the Directives.

In particular it is emphasized that in case of printed material, no contact is allowed between the printing ink and food product.

### **4 Identity, Specifications and Information**

Designation	<b>Narrow neck bottles; Wide Neck bottles</b>	
Raw material/ color	<b>PVC, clear-sighted and brown-transparent</b>	
Test report No.	<b>AR-16-JR-003896-01</b>	
Identification number	2000070595; 2000070596; 2000070597; 2000070598; 2000070599; 2000070697; 2000070698; 2000070699; 2000070700; 2000070701; 2000071080; 2000071081; 2000071082; 2000071083; 2000071106; 2000071107; 2000071490; 2000073352; 2000073353; 2000084412; 2000084419; 2000084422; 2000084423; 2000084593; 2000084596; 2000084599; 2000084601	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm <sup>2</sup> to 20 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	2-Ethyl-1-Hexanol – 30 mg/kg, Dodecylacrylat - 0.05 mg/kg, Tin components – 0.18 mg/kg (T), Vinylchloride < 1 mg/kg, Butadiene < 1 mg/kg	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Sodium Salts of fatty acids (E470A)	
8. Functional barrier	None.	
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free of Bisphenol A	

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.
----------	---

Designation	<b>Narrow and wide neck bottles; wide neck cans; system and special packaging</b>	
Raw material/ color	<b>PP</b>	
Test report No.	<b>AR-14-JR-019742-02;AR-15-JR-014287-01;AR-15-JR-019313-01;AR-16-JR-023669-01; AR-17-JR-001532-01</b>	
Identification number:	2000083785; 2000083786; 2000083787; 2000083788; 2000084249; 2000084821; 2000085738; 2000085851; 2000085921; 2000085922; 2000086111; 2000086281; 2000086295; 2000086296; 2000086297; 2000086413; 2000086438; 2000086439; 2000086440; 2000086603; 2000086680; 2000086685; 2000086694; 2000086695; 2000086829; 2000086830; 2000086872; 2000086876; 2000783852; 2000783855; 2000783856; 2000783859; 2000086456; 2000086457; 2000086458; 2000086459; 2000086502	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	none	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,1 dm <sup>2</sup> to 100 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	aluminium hydroxybis [2,2'-methylenebis (4,6-di-tert-butylphenyl) phosphate] – 5mg/kg , Lithium – 0.6 mg/kg (Orange and Pink masterbatch) 1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch)	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Na-stearate(CAS No.:000822-16-2, Ref. No.: 89040 Na-salts) as E470a max. 400 ppm Titanium dioxide (E171), Aluminium (E173) (White masterbatch)	
8. Functional barrier	None.	

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	<b>Narrow and wide neck bottles; wide neck cans; system and special packaging</b>
Raw material/ color	<b>PP</b>
Test report No.	<b>AR-12-JR-015640-01; AR-19-JR-004882-01</b>
Identification number:	2000085153; 2000085005; 2000084952; 2000083816; 2000081948
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,9 cm <sup>2</sup> to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Sodium Salts of fatty acids (E470A), Magnesium Salts of fatty acids (E470B)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 and 3.1.6 94/62/EC Free of Bisphenol A, BSE/TSE

Designation	<b>Wide neck containers and system packaging</b>
Raw material/ color	<b>PETG</b>
Test report No.	<b>AR-13-JR-001154-01</b>

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

Identification number:	2000074371; 2000074372; 2000074373; 2000074374; 2000074375; 2000084404	
1. Type(s) of food intended to come into contact with the material	Food with pH below 4.5, Oil and water mixtures and alcohol content above 20%	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,6 dm <sup>2</sup> to 100 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	Terephthalic acid – 7.5 mg/kg, Ethyleneglycol – 30 mg/kg, 2,2-Dimethyl-1,3-propandiol - 0,05 mg/kg	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Phosphoric acid (Ref. 23170 and 72640)	
8. Functional barrier	None.	
9. Further confirmation to the raw material	94/62/EC Free of Bisphenol A	

Designation	<b>Milk bottles</b>	
Raw material/ color	<b>PETG/Natural</b>	
Test report No.	<b>AR-16-JR-003895-01</b>	
Identification number:	2000081947; 2000082749; 2000083815; 2000084799; 2000086349; 2000086437	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,6 dm <sup>2</sup> to 100 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

6. Information about restricted substances and / or specifications	2,2,4,4-tetramethylcyclobutane-1,3-diol (TMCD) - 5mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free of Bisphenol A, BSE/TSE, Phthalates
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	<b>Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons</b>
Raw material/ color	<b>HDPE</b>
Test report No.	<b>AR-12-JR-015661-01;AR-15-JR-011987-01;AR-19-JR-004880-01</b>
Identification number:	2000070520; 2000070521; 2000070522; 2000070523; 2000070538; 2000070539; 2000070540; 2000070541; 2000070542; 2000070543; 2000070544; 2000070545; 2000070546; 2000070547; 2000070548; 2000070549; 2000070600; 2000071066; 2000071138; 2000071140; 2000071143; 2000071144; 2000071149; 2000071492; 2000073084; 2000073085; 2000073086; 2000073087; 2000073094; 2000073095; 2000073096; 2000073097; 2000073624; 2000075121; 2000075122; 2000076398; 2000076399; 2000079206; 2000079207; 2000079208; 2000079209; 2000079210; 2000079211; 2000079212; 2000079213; 2000079214; 2000081521; 2000082465; 2000082553; 2000082714; 2000082926; 2000083307; 2000083968; 2000083970; 2000083971; 2000083972; 2000083973; 2000083981; 2000083991; 2000083992; 2000083994; 2000084000; 2000084131; 2000084132; 2000084133; 2000084135; 2000084136; 2000084137; 2000084138; 2000084139; 2000084193; 2000084592; 2000084843; 2000084875; 2000085009; 2000085010; 2000085011; 2000085012; 2000085127; 2000085128; 2000085247; 2000085248; 2000085249; 2000085250; 2000085327; 2000085432; 2000085444; 2000085850; 2000085937; 2000085938; 2000085939; 2000085940; 2000086017; 2000086029; 2000086168; 2000086169; 2000086170; 2000086204; 2000086209; 2000086228; 2000086443; 2000086446; 2000086447; 2000086467; 2000086624; 2000086730; 2000086731; 2000086760; 2000086770; 2000086771; 2000087326; 2000087888; 2000092970; 2000098311; 2000670548; 2000675121; 2000770066; 2000770067; 2000770070; 2000770073; 2000770132; 2000770133; 2000770134; 2000770136; 2000770137; 2000770138; 2000870548; 2000879207; 2000879211; 2000970549; 2000970550; 2000970601; 2000970602; 2000983970; 2000983971; 2000086300; 2000086327; 2000086328; 2000089526; 2000086781; 2000082588

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,9 dm <sup>2</sup> to 65 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (Color masterbatch) 1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg (White masterbatch), Barium – 1mg/kg (Silver masterbatch), alkyl(C8-C22)sulphonic acids – 6 mg/kg (Orange and Green masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Ca-stearate(CAS No.:1592-23-0, Ref. No.: 89040 Ca-salts) as E470a max. 800 ppm Titanium dioxide (E171)– (White,Orange and Green masterbatch), Aluminium (E173) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(3)(i)(c1) concerning specification: 2.1 and 2.2 94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons; plant protection containers
-------------	---

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Raw material/ color	HDPE
Test report No.	<b>AR-13-JR-004631-01; AR-19-JR-004881-01</b>
Identification number:	2000083969; 2000084360; 2000084749; 2000084777; 2000084778; 2000084795; 2000084796; 2000084797; 2000084958; 2000084988; 2000085072; 2000085094; 2000085277; 2000085291; 2000085461; 2000085521; 2000085776; 2000085834; 2000085845; 2000085886; 2000086175; 2000086199; 2000086200; 2000086219; 2000086403; 2000086416; 2000086417; 2000086418; 2000086419; 2000086421; 2000086495; 2000086504; 2000086506; 2000086507; 2000086556; 2000086608; 2000086627; 2000086628; 2000086811; 2000086822; 2000086864; 2000086865; 2000086889; 2000086891; 2000086893; 2000086894; 2000986710; 2000986711; 2000986712
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,5 dm <sup>2</sup> to 200 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch) 2,5-bis(5-tert-butyl-2-benzoxazolyl)thiophene – 0.6 mg/kg, alkyl(C8-C22)sulphonic acids – 6 mg/kg (Blue masterbatch), Copper – 5 mg/kg (Green masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Ca-stearate (CAS No.:1592-23-0, Ref. No.: 89040 Ca-salts) as E 470a used max. 1500 ppm Titanium dioxide (E171) – (White and Blue masterbatch), Aluminium (E173) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(3)(i)(c1) concerning specification: 2.1 and 2.2 94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	<b>Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons</b>	
Raw material/ color	<b>HDPE</b>	
Test report No.	<b>AR-13-JR-000874-01; AR-12-JR-015640-01</b>	
Identification number:	2000084152; 2000084153; 2000084284; 2000084464; 2000084486; 2000085069; 2000085107; 2000085367; 2000085405; 2000085681; 2000085880; 2000086776; 2000770096; 2000770097; 2000884464; 2000970097; 2000984464; 2000985405; 2000086900	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,0 dm <sup>2</sup> to 100 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	Octadecyl 3(3,5-Di-tert-butyl-4-hydroxyphenyl) propionate - 6 mg/kg	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.	
8. Functional barrier	None.	
9. Further confirmation to the raw material	FDA title 21 §177.1520(a)(2)(i) concerning specification: 2.1 und 2.2 94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial	

Designation	<b>Oval Bottles; Special Packaging</b>	
Raw material/ color	<b>HDPE/ Natural and White</b>	
Test report No.	<b>AR-14-JR-016014-01</b>	
Identification number:	2000081751; 2000082589; 2000086479; 2000075942; 2000097625	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,8 dm <sup>2</sup> to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Aluminium – 1 mg/kg Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate - 6 mg /kg (White masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide (E171) , silicon dioxide (E551) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	FDA title 21 §177.1520 (c) Olefin polymers 94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	<b>Narrow and wide neck bottles; High shoulder bottles; dropper bottles; wash bottles; oiler bottles; buckets; system packaging</b>
Raw material/ color	<b>LDPE</b>
Test report No.	<b>AR-12-JR-015662-01; AR-18-JR-028118-01; AR-18-JR-028119-01; AR-12-JR-015640-01</b>
Identification number:	2000070500; 2000070501; 2000070502; 2000070503; 2000070504; 2000070505; 2000070506; 2000070507; 2000070508; 2000070511; 2000070512; 2000070513; 2000070514; 2000070515; 2000070517; 2000070519; 2000070528; 2000070529; 2000070530; 2000070531; 2000070532; 2000070533; 2000070534; 2000070535; 2000070536; 2000070537; 2000070578; 2000070585; 2000070587; 2000070588; 2000070589; 2000070618; 2000070619; 2000070723; 2000075991; 2000075992; 2000075993; 2000075994; 2000076072; 2000076074; 2000076078; 2000076079; 2000076081; 2000076083; 2000076084; 2000086492; 2000086697; 2000093214;

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	2000770046; 2000770047; 2000770049; 2000770050; 2000770119; 2000770120; 2000770121; 2000770124; 2000770125; 2000770126; 2000770127; 2000770500; 2000770501; 2000770502; 2000770503; 2000770504; 2000770505; 2000770506; 2000770507; 2000770508; 2000770509; 2000770510; 2000770528; 2000770529; 2000770530; 2000770531; 2000770532; 2000770533; 2000770534; 2000770535; 2000770536; 2000770537; 2000784583; 2000784584; 2000784585; 2000784586; 2000784587; 2000870503; 2000870504; 2000870506; 2000870507; 2000870508; 2000870528; 2000870529; 2000870531; 2000870533; 2000870535; 2000870537; 2000870589; 2000086747; 2000075940
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,8 dm <sup>2</sup> to 60 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 1.5 h 60°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide (E171), Aluminium (E173) – (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(2)(i)(c) concerning specification: 2.1 und 2.2 94/62/EC RoHS 2011/65/EU Free of Bisphenol A, Phthalates, BSE/TSE, Nanomaterial

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	<b>Screw cap</b>	
Raw material/ color	<b>PP</b>	
Identification number:	2000070750; 2000070751; 2000070752; 2000070753; 2000070754; 2000072842; 2000073199; 2000073775; 2000073881; 2000074111; 2000082833; 2000082871; 2000083691; 2000083762; 2000084481; 2000084511; 2000084844; 2000085261; 2000085262; 2000085377; 2000085453; 2000085524; 2000085525; 2000086112; 2000086488; 2000086779; 2000086878; 2000573199; 2000873775; 2000971155; 2000971898; 2000973199; 2000973775; 2000982871; 2000986488; 2000085436; 2000070510; 2000070509	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm <sup>2</sup> to 20 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.	
8. Functional barrier	None.	
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A	

Designation	<b>Screw cap</b>	
Raw material/ color	<b>PP Natural</b>	
Identification number:	2000784398; 2000784542; 2000084542; 2000783789; 2000083789; 2000783792; 2000083792; 2000883791; 2000783791; 2000083791; 2000783790; 2000083790	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm <sup>2</sup> to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a Calcium salts of fatty acids E471a Mono and diglycerides of fatty acids
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A Recycled or Active or Intelligent materials are not used

Designation	<b>Screw cap</b>
Raw material/ color	<b>PP, white</b>
Identification number:	2000073089; 2000073090; 2000083371; 2000073182
1. Type(s) of food intended to come into contact with the material	Aqueous, acid and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm <sup>2</sup> to 1 kg
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	N,N-Bis(2-hydroxyethyl)alkyl(C8-C18)amin 1,2 mg/kg 9,9-Bis(methoxymethyl)fluorene 0,05 mg/kg Dibutylphthalat 0,3 mg/kg Bis(2,4-di-tert-butylphenyl)pentaerythritol diphosphite 0,6 mg/kg Zinc stearate 25 mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

Designation	<b>Closure with tamper evident ring (Silesia, UN)</b>
Raw material/ color	<b>PP in white and blue</b>
Identification number:	2000073826; 2000077953; 2000085435
1. Type(s) of food intended to come into contact with the material	Dry, aqueous, acid, alcoholic and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,88 dm <sup>2</sup> to 100 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	<b>Screw cap</b>	
Raw material/ color:		
Identification number:	2000071150; 2000071159; 2000071160; 2000071675; 2000071704; 2000072230	
1. Type(s) of food intended to come into contact with the material	Oil-Water / Water-Oil-Emulsion	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Storage temperature: 20° C ± 5°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article		
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)		
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	None	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None	
8. Functional barrier	None	
9. Further confirmation to the raw material	94/62/EC	

Designation	<b>Dosing pump</b>	
Raw material/ color:		
Identification number:	2000083884; 2000083885; 2000083886; 2000090568; 2000096921; 2000090480; 2000090386; 2000095872	
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011	
2. Type(s) of food NOT to come into contact with the material	None	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article		
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive oil: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	Products contain substances with specific migration limit, listed in the regulation No. 10/2011. Migration results are in compliance with regulation No. 10/2011.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

Designation	<b>Closure with tamper evident ring</b>
Raw material/ color	PP
Identification number:	2000076305; 2000076306; 2000084512; 2000086778; 2000976304
1. Type(s) of food intended to come into contact with the material	Dry, aqueous, acid, alcoholic and fatty and milk-based food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,4 dm <sup>2</sup> to 100 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate; Clycerolmonostearat and Talkum
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU

Designation	<b>Screw cap</b>
Raw material/ color	PP in white, red, blue, black
Identification number:	2000083783; 2000084005; 2000084198; 2000084943; 2000085358; 2000086866; 2000971153; 2000072650; 2000084006; 2000086476; 2000083761; 2000083955; 2000971152; 2000084201; 2000084200
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 cap / 500 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	9H-Fluorene; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides; Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat; 1,1,1-Trimethylolpropan; 1-Octene; Monoethyl-3,5-ditertbutyl-4-hydroxybenzylphosphonat, Calciumsalz; Zinc; DNBP/DBP(I); 1, 3,5Trist(3,5ditertbutyl4hydroxybenzyl) 1,3,5triazin2,4, 6(1H,3H,5H)-trion; Copper; Aluminium; 1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer; Methacrylic acid, diester with 1,4-butanediol
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a; E471; E492; E171; E1521; Fats and oils, hydrogenated, from animal or vegetable food sources; E330; Carbonic acid, salts; E529; E331; E500; E170; E475; E553b; E570; E1521; E171; E330
8. Functional barrier	None.
9. Further confirmation to the raw material	

Designation	<b>Screw cap</b>
Raw material/ color	<b>PP in white</b>
Identification number:	2000086336
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 cap / 250 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic acid: 10 days 40°C 10% Ethanol: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	9H-Fluorene; Aluminium Zinc N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides; Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat; Tetrafluorethylen Perfluoromethyl perfluorovinyl ether
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a; E171
8. Functional barrier	None.
9. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration.

Designation	<b>Screw cap</b>
Raw material/ color	<b>PP in blue</b>
Identification number:	2000083951; 2000084162; 2000085915; 2000084182
1. Type(s) of food intended to come into contact with the material	Dry, aqueous, acid, alcoholic and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,32 dm <sup>2</sup> to 100 ml

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide, calcium carbonate
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

Raw material/ color	<b>Dust cap</b>
Identification number:	2000084185; 2000086179
1. Type(s) of food intended to come into contact with the material	Dry food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	10 days / 40°C (Tenax)
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 part / 0,5 l
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None.

Designation	<b>Flip top cap</b>
Raw material/ color	<b>PP in gold</b>
Identification number:	2000086154

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

1. Type(s) of food intended to come into contact with the material	Aqueous, acid and fatty food products (but only with fat-reduction-factor 2)		
2. Type(s) of food NOT to come into contact with the material	None		
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C		
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm <sup>2</sup> to 1000 ml		
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C		
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.			
6. Information about restricted substances and / or specifications	Benzoic acid, lithium salt 0,6 mg/kg Phthalic acid, dibutyl ester 0,3 mg/kg Stearic acid, zinc salt 25 mg/kg Bis(2,4-di-tert-butylphenyl)pentaerythritol diphosphite 0,6 mg/kg		
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Glycerol, esters with stearic acid		
8. Functional barrier	None.		
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU		

Designation	<b>Cap Smoothy; Cap F2D</b>		
Raw material/ color	<b>PP, red, green, blue, nature</b>		
Identification number:	2000086014; 2000086053; 2000086079; 2000086213; 2000086256; 2000086644; 2000086719; 2000086737; 2000086775		
1. Type(s) of food intended to come into contact with the material	Juices, nectar, fruit juice with pulp		
2. Type(s) of food NOT to come into contact with the material	None		
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C		
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	10 cm <sup>2</sup> to 200 ml		
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C		

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

<p>The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.</p>	
6. Information about restricted substances and / or specifications	Ref.-No. 34650 Secret component E471 (Ref.-No. 56585, CAS-No. 97593-29-8) max. 17%
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU

Designation	<b>Screw cap</b>
Raw material/ color	<b>PP in black</b>
Identification number:	2000070755; 2000073058; 2000074185; 2000083700; 2000084479; 2000084480;
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm <sup>2</sup> / 1000 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C
<p>The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.</p>	
6. Information about restricted substances and / or specifications	CAS Nr. 9003-07-0 CAS Nr. 026741-53-7 CAS Nr. 27676-62-6 CAS Nr. 0000693-36-7 Zinc salt
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate Titanium dioxide Lubricant, calcium salt Glycerol, esters with stearic acid
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation:	<b>Screw cap</b>
Raw material/ color	
Identification number::	2000085869; 2000085870; 2000085874; 2000086293; 2000086365; 2000091901; 2000085449
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,33
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Butanedioic acid, Dimethylester Polymer with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidine Etha Butene Bariumsulfat 1-Octene Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate Hexene Zinc stearate 1,1,1-Trimethylolpropane
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate Calcium carbonate Talc Amorphous silica Titanium Dioxide
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

Designation:	<b>Screw cap</b>
Raw material/ color	<b>HDPE, nature</b>
Identification number:	2000086629
1. Type(s) of food intended to come into contact with the material	Breast milk

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	10 days in cooled condition
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Calcium stearate Butanedioic acid, Dimethylester
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

Designation:	<b>Screw cap</b>
Raw material/ color	<b>LDPE/Natural</b>
Identification number:	2000090605; 2000090606; 2000090607; 2000090608; 2000090609; 2000090610
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Any long term storage, short time heating upto 2h at 70°C and upto 15min at 100°C
4. To determine the compliance of the plastic food contact material or article	3 closures on 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	None
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No Dual Use Additives
8. Functional barrier	None
9. Further confirmation to the raw material	EP chapter 3.1.3 and 3.1.4 RoHS 2011/65/EU

## **Declaration of Compliance**

**for plastic materials and items, which are designated to get in touch with food products**

	94/62/EC Free of Bisphenol A
--	---------------------------------

<b>Designation</b>	<b>Screw cap</b>
<b>Raw material/ color</b>	<b>PE</b>
<b>Identification number:</b>	2000070603; 2000070604; 2000070605; 2000070606; 2000070607; 2000070608; 2000070609; 2000070610; 2000070619; 2000070620; 2000071426; 2000071976; 2000072100; 2000072101; 2000072102; 2000072103; 2000073196; 2000075261; 2000084576; 2000084578; 2000084579; 2000084775; 2000085764; 2000086658; 2000094605; 2000095901; 2000095946; 2000095949; 2000098706; 2000570604; 2000570605; 2000570606; 2000570607; 2000570608; 2000570609; 2000570610; 2000670604; 2000670607; 2000770604; 2000770605; 2000770606; 2000770607; 2000770608; 2000770609; 2000770610; 2000784576; 2000784577; 2000784578; 2000784579; 2000870604; 2000870607; 2000870608; 2000870609; 2000870610; 2000884579; 2000970604; 2000970607; 2000970609; 2000984183;
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm <sup>2</sup> to 20 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

<b>Designation</b>	<b>Keep-fresh cover</b>
<b>Raw material/ color</b>	<b>LDPE, white</b>

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Identification number:	2000098537; 2000098538; 2000098539; 2000098540; 2000098541; 2000098542
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	Contact method: immersion
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

Designation	Stopcocks <b>UN-Closure SV51 OV-A PE blue, with pull-off ring and PE-seal</b> <b>UN-Closure SV51 OV-A PE green, with pull-off ring and PE-seal</b>
Raw material/ color	<b>HDPE / color masterbatch / foam gasket</b>
Identification number:	2000076459; 2000097928; 2000085461
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	Contact method: immersion
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C

## ***Declaration of Compliance***

***for plastic materials and items, which are designated to get in touch with food products***

	Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Additive A 5 mg/l Additive B 25 mg/l Monomer A 6 mg/l
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A

## Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	<b>Dropper cap with holding strap</b>	
Raw material/ color	<b>PVC, red</b>	
Identification number:	2000073350	
1. Type(s) of food intended to come into contact with the material	Acid and alcoholic food groups.	
2. Type(s) of food NOT to come into contact with the material	Fatty food groups	
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C	
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,1 cm <sup>2</sup> at 10 ml simulant	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		
6. Information about restricted substances and / or specifications	Additive A 9 mg/l Additive B 60 mg/l Additive C 25 mg/l Vinyl chloride QM = 1 mg/kg in finished product	
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.	
8. Functional barrier	None.	
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU Free from Bisphenol A	

This document was created with the help of electronic data processing and is valid without signature.